

Role of Ayurveda in the healing of Tympanic Membrane Perforation: Clinical Report

Madhuri S. Pawar⁽¹⁾, Dr. Sunita V. Magar⁽²⁾

¹M.S. Scholar, Shalakyatantra department, YMT Ayurvedic Medical College and Hospital, Kharghar, Navi Mumbai.

²Research Director, Professor, Shalakyatantra department, YMT Ayurvedic Medical College and Hospital, Kharghar, Navi Mumbai.

Corresponding Author:

Madhuri S. Pawar

E-mail ID :



Submission : 27.04.2026

Acceptance : 16.06.2026

Publication : 26.06.2026

https://www.doi.org/10.56136/YIJASM/2026_26633

Abstract :

Tympanic membrane (TM) perforation is a common otological condition that may lead to conductive hearing loss, recurrent infections, and chronic otitis media if inadequately managed. Classical Ayurvedic texts do not describe TM perforation as an independent disease entity; however, it can be interpreted within the spectrum of *Agantuja* ear disorders with predominant *Vata* involvement.

Objective: To evaluate the clinical utility of an Ayurvedic therapeutic protocol incorporating *Nasya* and internal *Shamana* medications in the management of TM perforation.

Methods: A 14-day treatment protocol was administered in two sequential cycles comprising *Nasya* with *Anu Taila* and *Panchendriyavardhan Taila*, along with oral formulations including *Laxmivilas Rasa*, *Sukshma Triphala Vati*, and *Sarivadi Vati*. Clinical monitoring included symptoms, otoscopic assessment, and evaluation of TM healing.

Results: The intervention resulted in complete closure of the TM perforation, improvement in auditory acuity, and absence of recurrent otorrhea. No adverse events were recorded.

Conclusion: The integrative Ayurvedic protocol demonstrated potential benefits in promoting TM healing. Larger controlled trials are required to validate these findings and establish standardized treatment guidelines.

Keyword :

Introduction

Tympanic membrane perforations may result from pressure waves in the external auditory canal or from direct penetration. Approximately 50% of cases are caused by slap injuries or direct blows to the ear, while about 25% are due to self-inflicted penetrating injuries. In cases of traumatic perforation, patients commonly present with ear pain and reversible conductive hearing loss, which may be accompanied by tinnitus and vertigo. Large studies have shown that spontaneous healing occurs in most cases, with a mean healing time of approximately 1.5 months and the majority resolving within three months. Timely and appropriate management is important to minimize the risk of permanent hearing impairment⁽¹⁾. Other reasons may be self-inflicted penetrating injuries account for about 25%, with 25% being due to causes that include diving and aviation baro trauma, foreign bodies such as button batteries, other caustic substances, insects, welding debris, and blast injuries⁽²⁾.

Ayurvedic literature, *Acharyas* have described detailed *Nidana* (etiological factors) of *Karna Roga* (ear diseases), one of which is *Mithyayoga of Shastra* (improper or contrary use of instruments). *Mithyayoga of Shastra* refers to trauma

that may injure the wall of the external auditory canal or cause perforation of the tympanic membrane, or both. This condition can be correlated with *Agantuja Vrana* (wounds caused by external factors). *Agantuja Vrana* is primarily caused by external insults such as trauma, chemical exposure, or insect bites⁽³⁾.

For current case study we did two cycles of *Nasya kriyakalp* here, first by *Anu tail* and second with *Panchendriyavardhan tail*. For oral medications *Laxmivilas ras*, *Sukshma Triphala vati* and *Sarivadi ghanvati*. Here for wound healing, these drugs worked wonder and helped in tympanic membrane perforation. Complete recovery of tympanic membrane perforation and pronged episode of cough and cold.

Case report-

A 25year old patient came to OPD complaining as mild hearing loss in left ear, recurrent cough and cold from last 15 days, pain in left ear since 7 days. She had an history of recurrent cough and cold and the nose blowing habit. Local examination showed of ear showed retracted left ear and perforation in left ear. Nose showed DNS to left side with congested nasal mucosa. Throat showed posterior pharyngeal wall congestion with mild tonsillar enlargement.

Case Report

Patient was clinical stable and there is no other comorbidity noted. Pure tone audiometry was done on the patient which showed the sensorineural hearing loss in left ear and normal hearing capacity in right ear.

Tympanic membrane perforation commonly occurs due to trauma, acute otitis media, iatrogenic injuries, or barotrauma.

Clinical symptoms include otalgia, conductive hearing loss, tinnitus, and susceptibility to recurrent ear discharge. Although spontaneous healing is expected in many cases within 1.5–3 months, delayed repair may predispose patients to chronic suppurative otitis media, mastoiditis, or cholesteatoma formation.



Day 1: Left ear TM perforation



Day 8: after 7 days of *Nasya Kriyakalpa*



Day 15: after 2nd cycle of *Nasya Kriyakalpa*

Timeline:

No.	Duration	Medications	Procedure
1.	3/11/2025	Local examination and oral medications	
2.	4/11/2025	Oral medication	<i>Nasya with Anu tail</i>
3.	12/11/2025	Oral medication	
4.	14/11/2025	Oral medications	<i>Nasya with Panchendriyavardhan tail</i>

In Ayurveda, conditions involving external injury and structural disruption are classified under *Āgantuka Vyādhi*. Such conditions often lead to functional deterioration of the ear, which is commonly associated with *Vāta* vitiation. Hence, the line of treatment emphasizes pacifying aggravated *Vāta*, restoring tissue integrity (*Ropaa*), and strengthening the sensory organs (*Indriya Bālyā*).

Based on these principles, the present study reports a clinical case managed using an Ayurvedic treatment protocol that integrates *Nasya Karma* along with appropriate internal medications.

Materials and Methods

Study Design

A single-case interventional study evaluating the response of TM perforation to an Ayurvedic treatment regimen over 14 days.

Patient Profile

A clinically diagnosed case of Left ear tympanic membrane perforation confirmed by otoscopic examination.

Intervention Protocol

Cycle 1 (Days 1–7)

Nasya: Anu Taila, 8 drops per nostril daily

Oral medications:

Laxmivilas Rasa – 250 mg, twice daily

Sukshma Triphala Vati – 250 mg, twice daily

Sarivadi Vati – 250 mg, twice daily

Cycle 2 (Days 8–14)

Nasya: Panchendriyavardhan Taila, 8 drops per nostril

Oral medications:

Laxmivilas Rasa – 250 mg, twice daily

Sarivadi Vati – 250 mg, twice daily

Outcome Measures

Otosopic evaluation of TM integrity

Change in symptoms: otalgia, tinnitus, hearing difficulty

Absence of otorrhea

Patient-reported improvement

No concurrent antimicrobial or surgical therapy was

administered.

Observation:

In current case study was evaluated after two cycles of *Nasya kriyakalpa* (first with *Anu tail* and second with *Panchendriyavardhan tail*) and oral medication like *Laxmivilas ras*, *Sukshma triphala vati* and *Sarivadi vati*. Significant results were observed in hearing loss, recurrent cough and cold and left ear tympanic membrane perforation. Complete recovery of tympanic membrane was observed after two cycles of *Nasya* with oral medications. This study suggest that the outcome was medically good. No any adverse reaction was noted during the study.

Pharmacological Rationale

Anu Taila

Anu taila is explained in *Charak chikisa sthan* under “*Tri marma chikitsa adhyaya*” for *Nasya*⁽⁴⁾.

Possesses *Snigdha*, *Mridu*, *Sukshma*, and *Vyavayi* qualities aiding *Vata* pacification, reduction of inflammation (*Shothahara*), and enhancement of tissue healing (*Ropana*).

Laxmivilas Rasa

The wide range of action as many of the drugs are *Ushna Virya* so its main action on *Kapha Vataj* disease compare to *Pitta* vitiated disease the main *Rogadhikar* of *Laxmivilas Rasa* is *Dushta Pratishay* (allergic rhinitis), *Jwar* (fever), *Kasa* (cough), *Shwasa* (respiratory distress)⁽⁵⁾ *Rajyakshma* (tuberculosis). It also acts as *Deepan* (stimulate digestive fire), *Pachan* (digestion) thus used in *Prameha*, *Kustha*, *Stoulyta* and *Amaj Atisaar* and also if we go through the content of the *Kalpa* and its action it mainly works on *Rasavaha*⁽⁶⁾ and *Pranavaha Srotas Vyadhi* (disease) different indications in different classical text give us a brief idea it has been used in various *Roga* depending upon few changes in ingredients.

Here it exhibits anti-inflammatory, antimicrobial (*Krimighna*), analgesic (*Vedanasthapana*), and tissue-regenerative actions.

Sukshma Triphala Vati

Known for its *Rasayana*, antibacterial, and anti-inflammatory effects, supporting epithelial regeneration. It is particularly known for its antibacterial, anti-inflammatory,

and wound healing and tissue regeneration properties⁽⁷⁾.

Sarivadi Vati

Sarivadi vati is one such formulation explained in *Bhaishjya Ratnawali*. It is said to be used in *Karna Roga* (Ear disease), *Raktapitta* (Bleeding disorders), *Jeerna Jwara* (Relapsing fever), *Hridaya Roga* (heart disease) and *Apasmara* (Hysteria) etc. *Karnanada* is among 28 *Karnarogas* explained by *Acharya Sushruta*, mainly *Vata* dominant *Roga*. All the contents of *Sarivadi Vati* have *Vata-Kaphahar* properties⁽⁸⁾.

Traditionally used for ear disorders with actions including *Shothahara*, *Krimighna*, and *Ropana*.

Panchendriyavardhan Taila

It contains *Shirovirechan gana* drugs like *Vacha* (acorus calomus), or *Shigru* (moringa oleifera), *Madanphal* (randia spinosa). *Nasya* increases local circulation, due to this nourishment of organ is increased and disease will subside. *Nasya dravya* having *Katu*, *Ushna* and *Teekshna guna*. These *gunas* produce *Draveekaran* and *Chhedan* of vitiated *doshas*. This helps to reduce inflammation and increase strength of organ. The oral combination is of *Tribhuvankirti rasa*, *Sutshekhhar ras* and *Talisadi churna*. All these drugs contain *tikta*, *katu rasa* and *ushna guna*. These *gunas* produce *draveekaran* and *chhedan* of vitiated *doshas*. This helps to reduce inflammation and gives strength to the organ⁽⁹⁾.

Acts as *Vata-Kapha Shamana*, promotes sensory organ strengthening, reduces otalgia, and supports TM structural repair.

Results

Following the 14-day intervention:

- Complete closure of tympanic membrane perforation confirmed via otoscopy
- Improvement in auditory function subjectively reported
- Absence of recurrent otorrhea during and after treatment
- No adverse drug reactions observed
- The healing pattern was consistent with reduction in *Vata* aggravation and enhanced reparative response.

Discussion

Histopathological study of a newly formed perforation shows proliferation of squamous epithelium within 12 hours at the edge of the perforation and granulation formation within 18 hours, whereas the inner mucosa of the tympanic membrane takes several days to regenerate⁽¹⁰⁾. Studies have shown that moisture balance is important during wound healing and a moist environment facilitates cellular growth and collagen proliferation within a healthy noncellular matrix, thereby hastening the healing of both acute and

chronic wounds and promoting the growth of new tissue^(11,12).

The therapeutic outcome observed in this case aligns with core Ayurvedic principles of *Vāta Śamāpana*, *Ropaa*, and *Indriya Bālya*. The combined administration of *Nasya Karma* and internal *Śamana Auadhi* appears to facilitate both anatomical and functional recovery of the tympanic membrane (TM). *Nasya* enables effective drug delivery to structures above the clavicle, thereby influencing the vascular, neural, and mucosal components of the ear. Concurrently, internal medications may help modulate inflammation, reduce microbial load, and promote epithelial regeneration.

Although spontaneous healing of TM perforations is well documented, the relatively rapid closure observed in this case suggests a possible synergistic effect of the integrative Ayurvedic protocol. However, the findings are limited by the single-case design and the absence of objective auditory assessments such as pure tone audiometry (PTA).

Conclusion

The integrative Ayurvedic protocol incorporating *Nasya Karma* and internal medications demonstrated promising results in promoting tympanic membrane repair and improving auditory function. Controlled clinical trials with larger sample sizes and standardized assessment tools are required to establish definitive efficacy.

Copyright © 2026 YMT International Journal of Ayurvedic System of Medicine. This is an open access article, it is free for all to read, download, copy, distribute, adapt and permitted to reuse under Creative Commons Attribution Non Commercial-ShareAlike: CC BY-NC-SABY 4.0 license.

Source of Support: Nil

Conflict of Interest: Nil

References

1. Chaudhary, Shraddha; Vaghela, Dharmendra B.1; Vaghela, Kasambi D.2. Management for traumatic tympanic membrane perforation: a case series. Journal of Indian System of Medicine 11(2):p 102-107, Apr–Jun 2023. | DOI: 10.4103/jism.jism_72_22
2. Lou ZC, Lou ZH, Zhang QP. Traumatic tympanic membrane perforations: A study of etiology and factors affecting outcome Am J Otolaryngol. 2012;33:549–55
3. Ambikadatta Shastri, Sushruta Samhita Purvardha, Sutrasthana 22/4. 200112th Varanasi Chaukhamba Sanskrit Sansthana:95
4. Charak Samhita, Vidhyotini Hindi commentary by Kashi Nath Shastri and Pandit Gorakhnatha Chaturvedi, Chaukhamba Bharti Academy, varanasi, 2013 (Chikitsa Sthana 26/139).

5. Kumari M, Porte SM, Tiwari D. Ayurvedic method for prevention and management of environmental toxicant induced respiratory disease. International Journal of Health 2019;9(3):245-51. Sciences and Research.
6. Vidyadhar S. Ravi Dutt Tripathi, Charak Samhita of Agnivesha revised by Charaka Redacted By Drudbala with Vaidya Manorama' Hindi Commentary. Chaukhamba Sanskrit Pratishtan, Delhi reprint. 2011:185.
7. Ayurvedic Management Of Dushta Vrana – A Case Study IJCRT | Volume 12, Issue 10 October 2024 | ISSN: 2320-2882.
8. Mishra SN, Sridhiprada Hindi Commentary on Bhaishjya Ratnawali, Chaukhamba Surbharati Prakashan, Varanasi, Edition 2015, Chapter 62, verse 69-74, p.174-175.
9. Bhavprakashpandit bramha Shankar mishra chaukhamba prakashan 11 edition 2010 nasarogadhikar.
10. Gulya AJ, Glasscock ME Glasscock, Shambaugh Surgery of the Ear. 20035th Spain BC Decker Inc:400–20
11. Okan D, Woo K, Ayello EA, Sibbald G. The role of moisture balance in wound healing Adv Skin Wound Care. 2007;20:39–53 quiz 53
12. Schultz GS, Sibbald RG, Falanga V, Ayello EA, Dowsett C, Harding K, et al Wound bed preparation: A systematic approach to wound management Wound Repair Regen. 2003;11:S1–28